

## www.ritewayts.com

Toll Free: 866-606-6148 \* Fax: 888-678-6040

Email: contact@ritewayts.com

## **Dear New Customer:**

Your company and drivers have places to go and getting there is becoming more complicated every day. **Rite-Way Transportation** is here to help.

**Permits Services:** Oversize/Overweight (Single Trip & Annuals), Divisible Loads and Trip & Fuel permits. We cover all 50 states, the District of Columbia, counties and municipalities.

**Pilot Car Services:** Nation wide dispatch with properly equipped, certified and insured pilot car drivers.

Route Surveys: Accurate and reliable route surveys ensure your drivers and loads arrive safely.

Compliance Consulting: Ensure your fleet is within regulation to reduce costly fines and delays.

Rite-Way is here to get you and your business where you need to go. Please feel free to contact us anytime at (585) 486-9712 or Toll Free at (866) 606-6148.

Check out our services online at <u>www.ritewayts.com</u>, check us out on **Twitter** at RiteWayPermits or Facebook @facebook.com/Riteway.Transportation.

Thank you for choosing Rite-Way Transportation Services.

Sincerely,

Rite-Way Staff



# **CREDIT CARD AUTHORIZATION**

## Please complete the information below:

Company Name:
illing Address:
City: State: Zip:
hone:
mail:
referred delivery method of invoices and receipts: FAX EMAIL
Account Type:
Cardholder Name:
Account Number:
Expiration Date :
CVV2 (3 digit number on back of Visa/MC/Discover, 4 digits on front of AMEX)
authorize Rite-Way Transportation Services LLC to charge the above referenced credit card for oversize/overweight hauling permits, load escorts and related services as ecessary.
IGNATURE: DATE:
(Typed Name Will Act as Signature)
FOR OFFICE USE ONLY:
Received by Date
Customer Code C -
· · · · · · · · · · · · · · · · · · ·



## <u>Rite-Way Customer</u> <u>Information</u>

Business Name:	Federal ID number:
Address:	JS DOT:
City: State: Zip:	
Contact Name:	Title:
Phone: Fax:	
Email:	
How did you find out about Rite-Way Transportation Services?	
Type of Business:	In Business Since:
Legal form under which business operates:	
LLC Corporation Partnership Proprieto	orship 🔲
Parent Company (if applicable):	
Name of Company Principal responsible for business transaction:	
Address: City:	State:
Zip:	
Phone: Fax:	
I herby certify that the information contained herein is complete an	d accurate.
Print Name:	
Signature:	Date:
(Typed Name Will Act as Signature)	



3699 W. Henrietta Rd. Suite 19 Rochester, NY 14623 Toll Free: 866.606.6148 Phone: 585.486.9712 Fax: 888.678.6040 Email: contact@ritewayts.com

## www.ritewayts.com

OVER-DIMENSIONAL PERMIT ORDER SHEET PLEASE FILL OUT COMPLETELY

FEIN OR S.S.P.   USDOT	COMPANY:					CONT	ACT:							
PHONE   FAX   FAXE   FAXE	FEIN OR S.S.	.#:	USD	OT:										
NO   NO   NO   NO   NO   NO   NO   NO	ADDRESS:					CITY:				STATE:	ZIP:			
CAD INFORMATION: MAKE:	PHONE:			FAX:		EMAIL	ADDRESS:							
LENGTH:   FT	INSURANCE	COMPANY:				POLICY	/ NUMBER:		EFFECTIV	/E:	EXPIRATION	l:		
LENGTH:   FT	LOADINGO	DRAATIONI. NANIZE.		NAC .	NDEL.		C/NI.			DECEDIDITION	 L			
OVERALL INFORMATION: LENGTH:         FT         IN         WIDTH:         FT         IN         HEIGHT:         FT         IN         WEIGHT:         STATE:         STATE:         STATE:         PLATE:         STATE:         PLATE:         STATE:         PLATE:         STATE:         PLATE:         STATE:         PLATE:         STATE:			IN WID			IN UEICUT	•		WEICHT.	DESCRIPTION	i.			
## FRONT OVERHANG: FT IN REAR OVERHANG: FT IN    TRACTOR: UNIT#:	LENGTH:	FI	IIN WID	vin: F		IN HEIGHT:	FI	IIN	WEIGHT:					
TRACTOR: UNIT#:	OVERALL IN	IFORMATION: LENG	TH: F	T IN W	IDTH:	FT IN	I HEIGHT:	FT	IN WEIGH	łT:				
NUMBER OF AXLES: DROP AXLE? YES	FRONT OVE	RHANG: F	T IN	REAR OVERHANG:	FT	IN								
NUMBER OF AXLES: DROP AXLE7 YES	TRACTOR: U	JNIT#:	YEAR:	MAKE:		V.I.N.:			PLATE	<u> </u>	ST	TATE:		
UNLADEN WEIGHT: TIRE SIZE: STEER DROP DRIVES 1e: 315/80R22.5  TRAILER: UNIT#: YEAR: MAKE: V.I.N.: PLATE: STATE:  NUMBER OF AXLES DROP AXLE? YES NO NUMBER OF TIRES ON DROP TRAILER LENGTH: FT IN PROPOSED WEIGHT: UNLADEN WEIGHT: TIRE SIZE: 1e: 275/70R22.5  AXLE # STEER 2 3 4 5 6 7 8 9 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	NUMBER OF	AXLES:	DROP AXLE? Y	ES NO	NUMBER OF	F TIRES ON DROP:	R	REGISTERED WEIG						
TRAILER: UNIT#: YEAR: MAKE: V.I.N.: PLATE: STATE:  NUMBER OF AXLES DROP AXLE? YES NO NO NUMBER OF TIRES ON DROP TRAILER LENGTH: FT IN  REGISTERED WEIGHT: UNLADEN WEIGHT: TIRE SIZE: ie: 275/70R22.5    AXLE # STEER 2 3 4 5 6 7 8 9 9								DROB		DDIVES	io: 215/90D22 5			
NUMBER OF AXLES  DROP AXLE? YES	ONLADEN W	ildi ii .		TINE SIZE .		JILLIN		DNOI		DNIVES	ie. 5 15/60N22.5			
REGISTERED WEIGHT: UNLADEN WEIGHT: TIRE SIZE: ie: 275/70R22.5    AXLE #   STEER   2   3   4   5   6   7   8   9	TRAILER: UN	NIT#:							PLATE	:	ST	TATE:		
AXLE # STEER 2 3 4 5 6 7 8 9  PROPOSED WEIGHT(LBS)  MFG. AXLE WEIGHT RATINGS (LBS)  SUM OF MFG. TIRE RATINGS (LBS)  AXLE SPACINGS(FT/IN)  1 - 2 2 - 3 3 - 4 4 - 5 5 - 6 6 - 7 7 - 8 8 - 9 9 - 10  ORIGIN ADDRESS OR INTERSECTION:  DESTINATION ADDRESS OR INTERSECTION:	NUMBER OF	AXLES	DROP AXLE? Y	ES NO	NUMBER OF	TIRES ON DROP	TR	AILER LENGTH :	FT	IN				
PROPOSED WEIGHT (LBS)  MFG. AXLE WEIGHT RATINGS (LBS)  SUM OF MFG. TIRE RATINGS (LBS)  AXLE SPACINGS (FT/IN)  1 - 2 2 - 3 3 - 4 4 - 5 5 - 6 6 - 7 7 - 8 8 - 9 9 - 10  ORIGIN ADDRESS OR INTERSECTION:  DESTINATION ADDRESS OR INTERSECTION:	REGISTERED	WEIGHT:		UNLADEN WEIGH	łT:		TIRE SIZE :		ie: 275/7	70R22.5				
MFG. AXLE WEIGHT RATINGS (LBS)  SUM OF MFG. TIRE RATINGS (LBS)  AXLE SPACINGS(FT/IN)  1 - 2 2 - 3 3 - 4 4 - 5 5 - 6 6 - 7 7 - 8 8 - 9 9 - 10  ORIGIN ADDRESS OR INTERSECTION:  DESTINATION ADDRESS OR INTERSECTION:		A	XLE #	STEER	2	3	4	5	6	7	8	9	10	
SUM OF MFG. TIRE RATINGS (LBS)  AXLE SPACINGS(FT/IN)  1 - 2 2 - 3 3 - 4 4 - 5 5 - 6 6 - 7 7 - 8 8 - 9 9 - 10  ORIGIN ADDRESS OR INTERSECTION:  DESTINATION ADDRESS OR INTERSECTION:		PROPOSED	WEIGHT(LBS)											
SUM OF MFG. TIRE RATINGS (LBS)  AXLE SPACINGS(FT/IN)  1 - 2 2 - 3 3 - 4 4 - 5 5 - 6 6 - 7 7 - 8 8 - 9 9 - 10  ORIGIN ADDRESS OR INTERSECTION:  DESTINATION ADDRESS OR INTERSECTION:		MFG. AXLE WEI	GHT RATINGS (LBS	)										
AXLE SPACINGS(FT/IN)  1 - 2 2 - 3 3 - 4 4 - 5 5 - 6 6 - 7 7 - 8 8 - 9 9 - 10  ORIGIN ADDRESS OR INTERSECTION:  DESTINATION ADDRESS OR INTERSECTION:				,										
1 - 2 2 - 3 3 - 4 4 - 5 5 - 6 6 - 7 7 - 8 8 - 9 9 - 10  ORIGIN ADDRESS OR INTERSECTION:  DESTINATION ADDRESS OR INTERSECTION:		SUM OF MFG.	TIRE RATINGS (LBS)	)										
1 - 2 2 - 3 3 - 4 4 - 5 5 - 6 6 - 7 7 - 8 8 - 9 9 - 10  ORIGIN ADDRESS OR INTERSECTION:  DESTINATION ADDRESS OR INTERSECTION:														
ORIGIN ADDRESS OR INTERSECTION:  DESTINATION ADDRESS OR INTERSECTION:		AXLE SPACIN	GS(FT/IN)											
DESTINATION ADDRESS OR INTERSECTION:				1 – 2	2 - 3	3 - 4	4 - 5	5 - 6	6 - 7	7 - 8	8 -	9 9	9 - 10	
	ORIGIN ADD	RESS OR INTERSECT	TION:											
STATE START DATE ROUTES FAX OR EMAIL TO:	DESTINATIO	N ADDRESS OR INT	ERSECTION:											
	STATE	START DATE		ROUTES							FAX OR EMAIL 1	ГО:		



Arizona	Insurance Co.: Policy #:
Exp. Date:	IFTA #: IRP #:
Connecticut	Return trip? Multiple items require King Pin setting ft in
Delaware	How many pieces? Any turnpike roads?
Florida Is veh	icle specialized?: (i.eStraight truck, Mobile Home, Self propelled)  King Pin setting  ft in
Georgia	Insurance Co.: Policy #:
Exp. Date:	Driver Lic. # / State
Illinois	King Pin distance ft in
<b>lowa</b> Regis	tered weight for state of IA: (Copy of Cab Card MUST be sent with application)
Kentucky	KYU # or temp KYU # from trip permit:
Louisiana	Customer #
Maine	Over 80,000 lbs. requires a copy of the Cab Card. Please submit copy if over weight.
Maryland	Tire width (i.e. 11",13")

Baltimore move: YES NO If Dundalk Terminal: TO or FROM
Michigan Number of items: Max. Trailer width: ft in
Material Made of: How Loaded: (i.e. nested, end to end, side by side)
Minnesota Tractor length ft in
Mississippi Start time: Account #
Missouri Insurance Co.: Policy #:
Effective Date: Number of items:
Type of trailer: Single drop Double drop Flatbed Other:(specify)
Montana Registered weight for Montana:
New Hampshire Start time Registered Trailer weight: Ibs. Single tire capacity
Total tire capacity: Ibs GAWR: Ibs GVRW: Ibs
North Carolina Temp plated trucks must supply permit # off of registration.
Ohio       Deck Height:     ft     in Minimum Deck Underclearence:     ft     in
Power unit Height: ft in Length: ft in (front to back of TRACTOR only)
Oregon Is trailer: FIXED STRETCH EXPANDED
Routing for <b>UNLADEN</b> travel:
Unladen Ht: ft in Width: ft in Length: ft in

Pennsylvania Bond numbers for EACH county for 4 digit roads
Load Quantity: Return Trip: YES NO
Tennessee King Pin distance ft in
Texas State of Texas Customer number Tire width (i.e. 11",13")
Does trailer have at least 18" of ground clearance? YES NO
Vermont Round trip? Yes No
Washington Gross Axle Weight Rating:
Wisconsin Permit Account number Insurance level:\$
Radio active: YES NO Number of items: Return trip: YES NO NO
Power unit length: ft in
West Virginia Load Weight bs.

### Wyoming

Port of entry state. Must call port where entering 24 hrs in advance.

